

## BAG1 抗原（重组蛋白）

中文名称：BAG1 抗原（重组蛋白）

英文名称：BAG1 Antigen (Recombinant Protein)

储 存： 冷冻（-20℃）

相关类别： 抗原

概述

Fusion protein corresponding to a region derived from 116-345 amino acids of human BAG1

技术规格

<b>Full name:</b>	BCL2-associated athanogene
<b>Synonyms:</b>	HAP; BAG-1; RAP46
<b>Swissprot:</b>	Q99933
<b>Gene Accession:</b>	BC001936
<b>Purity:</b>	>85%, as determined by Coomassie blue stained SDS-PAGE
<b>Expression system:</b>	Escherichia coli
<b>Tags:</b>	His tag C-Terminus, GST tag N-Terminus
<b>Background:</b>	The oncogene BCL2 is a membrane protein that blocks a step in a pathway leading to apoptosis or programmed cell death. The protein encoded by this gene binds to BCL2 and is referred to as BCL2-associated athanogene. It enhances the anti-apoptotic effects of BCL2 and represents a link between growth factor receptors and anti-apoptotic mechanisms. Multiple protein isoforms are encoded by this mRNA through the use of a non-AUG (CUG) initiation codon, and three alternative downstream AUG initiation codons. A related pseudogene has been defined on chromosome X.