

兔抗 MMP10 多克隆抗体

中文名称：兔抗 MMP10 多克隆抗体

英文名称：Anti-MMP10 rabbit polyclonal antibody

别 名：SL-2, STMY2

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：MMP10

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by this gene degrades proteoglycans and fibronectin. The gene is part of a cluster of MMP genes which localize to chromosome 11q22.3.
Applications:	ELISA, WB, IHC

Name of antibody:	MMP10
Immunogen:	Synthetic peptide of human MMP10
Full name:	matrix metalloproteinase 10 (stromelysin 2)
Synonyms :	SL-2, STMY2
SwissProt:	P09238
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	15-50
WB Predicted band size:	54 kDa
WB Positive control:	NIH/3T3 cells
WB Recommended dilution:	500-2000



