

兔抗 H2AFX 多克隆抗体

中文名称: 兔抗 H2AFX 多克隆抗体

英文名称: Anti-H2AFX (Ab-139) rabbit polyclonal antibody

别 名: H2AX; H2A.X; H2A/X

相关类别: 一抗

储 存: 冷冻 (-20℃) 避光

宿 主: Rabbit

抗 原: H2AFX

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Variant histone H2A which replaces conventional H2A in a subset of nucleosomes. Nucleosomes wrap and compa ct DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. H istones thereby play a central role in transcription regul ation, DNA repair, DNA replication and chromosomal sta bility. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Required for checkpoint-mediated arrest of cell cycle progression in r



| | esponse to low doses of ionizing radiation and for effici ent repair of DNA double strand breaks (DSBs) specifical ly when modified by C-terminal phosphorylation |
|--------------------------|---|
| Applications: | WB, IHC, IF |
| Name of antibody: | H2AFX |
| Immunogen: | Synthetic peptide of human H2AFX (Ab-139) |
| Full name: | H2A histone family, member X |
| Synonyms: | H2AX; H2A.X; H2A/X |
| SwissProt: | P16104 |
| IHC positive control: | Human breast carcinoma |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 15 kDa |
| WB Positive control: | HepG2 and 293 cells |
| WB Recommended dilution: | 500-1000 |
| IF Positive control: | Hela cells |
| IF Recommended dilution | 100-200 |









