



兔抗 HBE1 多克隆抗体

中文名称: 兔抗 HBE1 多克隆抗体

英文名称: Anti-HBE1 rabbit polyclonal antibody

别 名: hemoglobin subunit epsilon 1; HBE

相关类别: 一抗

储 存: 冷冻 (-20°C)

宿 主: Rabbit

抗 原: HBE1

反应种属: Human

标记物: Unconjugate


克隆类型: rabbit polyclonal

技术规格

Background:

The epsilon globin gene (HBE) is normally expressed in the embryonic yolk sac: two epsilon chains together with two zeta chains (an alpha-like globin) constitute the embryonic hemoglobin Hb Gower I; two epsilon chains together with two alpha chains form the embryonic Hb Gower II. Both of these embryonic hemoglobins are normally supplanted by fetal, and later, adult hemoglobin. The five beta-like globin genes are found within a 45 k b cluster on chromosome 11 in the following order: 5'-epsilon - G-gamma - A-gamma - delta - beta-3'.

Applications:	ELISA, WB, IHC
Name of antibody:	HBE1
Immunogen:	Fusion protein of human HBE1
Full name:	hemoglobin subunit epsilon 1
Synonyms:	HBE
SwissProt:	P02100
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	30-150
WB Predicted band size:	16 kDa
WB Positive control:	Human placenta tissue lysate
WB Recommended dilution:	500-2000



mlbio 瑞联生物
Good elisakit producers

