

## 兔抗 GDI1 多克隆抗体

中文名称: 兔抗 GDI1 多克隆抗体

英文名称: Anti-GDI1 rabbit polyclonal antibody

别 名: FLJ41411, GDIL, MRX41, MRX48, OPHN2, RABGDIA, XAP-4

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: GDI1

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

| Background:   | GDP dissociation inhibitors are proteins that regulate the GDP-GTP exchange reaction of members of the rab famil y, small GTP-binding proteins of the ras superfamily, that are involved in vesicular trafficking of molecules between cellular organelles. GDIs slow the rate of dissociation of GDP from rab proteins and release GDP from membrane -bound rabs. GDI1 is expressed primarily in neural and s ensory tissues. Mutations in GDI1 have been linked to X-linked nonspecific mental retardation. [provided by RefSe q, Jul 2008] |
|---------------|---|
| Applications: | ELISA, WB, IHC  |



| Name of antibody:                  | GDI1  |
|------------------------------------|---|
| Immunogen:                         | Fusion protein of human GDI1                        |
| Full name:                         | Rab GDP dissociation inhibitor alpha                |
| Synonyms:                          | FLJ41411, GDIL, MRX41, MRX48, OPHN2, RABGDIA, XAP-4 |
| SwissProt:                         | P31150  |
| <b>ELISA</b> Recommended dilution: | 500-1000  |
| IHC positive control:              | Human brain and Human tonsil                        |
| IHC Recommend dilution:            | 25-50   |
| WB Predicted band size:            | 51 kDa  |
| WB Positive control:               | Human fetal brain tissue                            |
| WB Recommended dilution:           | 200-1000  |





