

兔抗 PVR 多克隆抗体

- 中文名称: 兔抗 PVR 多克隆抗体
- 英文名称: Anti-PVR rabbit polyclonal antibody
- 别名: PVS; HVED; CD155; NECL5; TAGE4; Necl-5
- 相关类别: 一抗
- 抗原: PVR
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | The protein encoded by this gene is a transmem brane glycoprotein belonging to the immunoglob ulin superfamily. The external domain mediates ce II attachment to the extracellular matrix molecule |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | vitronectin, while its intracellular domain interacts with the dynein light chain Tctex-1/DYNLT1. The gene is specific to the primate lineage, and serve s as a cellular receptor for poliovirus in the first s |
| | tep of poliovirus replication. Multiple transcript va |



| | riants encoding different isoforms have been foun d for this gene. |
|-----------------------------|--------------------------------------------------------------------|
| Applications: | elisa, wb, ihc |
| Name of antibody: | PVR |
| Immunogen: | Fusion protein of human PVR |
| Full name: | poliovirus receptor |
| Synonyms : | PVS; HVED; CD155; NECL5; TAGE4; Necl-5 |
| SwissProt: | P15151 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human liver cancer and Human colon cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 45 kDa |
| WB Positive control: | HepG2 cells, human testis tissue and Hela cells |
| WB Recommended dilution: | 200-1000 |





