

小鼠抗 6X His 单克隆抗体

中文名称: 小鼠抗 6X His 单克隆抗体

英文名称: Anti-6×His Tag mouse monoclonal antibody

别 名: 6 His epitope tag

相关类别: 标签抗体

储 存: 冷冻(-20℃) 避光

宿 主: Mouse

抗 原: 6×His Tag

反应种属: Fusion proteins containing the His Tag

标 记 物: Unconjugate

克隆类型: mouse monoclonal

技术规格

Background:	The 6 X histidine motif is used as a tag on many recombinant proteins to facilitate purification. It can then be purified using immobilized metal ions, traditionally nicke l, in a procedure termed immobilized-metal affinity chromatography. Further analysis of the protein can be achieved using an antibody specific to the 6 X histidine in techniques such as western blotting. The antibody recognizes the His-tag fused to targeted proteins in transfected or transformed cells.
Applications:	WB, IF, IP
Name of antibody:	6×His Tag



Immunogen:	Synthetic peptide conjugated with KLH
Full name:	НННННН Tag
Synonyms:	6 His epitope tag
WB Predicted band size:	50 kDa
WB Positive control:	Fusion proteins containing the His Tag
WB Recommended dilution:	1000-5000
IF Positive control:	3T3 cells
IF Recommended dilution:	100-500
IP Recommended dilution:	100-200









