

## 兔抗 IDI2 多克隆抗体

中文名称: 兔抗 IDI2 多克隆抗体

英文名称: Anti-IDI2 rabbit polyclonal antibody

别 名: isopentenyl-diphosphate delta isomerase 2; IPPI2

相关类别: 一抗

抗 原: IDI2

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene catalyzes the conversion of isopentenyl diphosphate to dimethylallyl diphosphate, which is a precursor for the synthesis of cholesterol and other isopreno ids. This gene, which is a product of an ancestral gene duplication event, encodes a protein that may be involved in the agg regation of alpha-synuclein in the cerebral cortex of patients w ith Lewy body disease. In addition, segmental copy number gains in this locus have been associated with sporadic amyotrophic lateral sclerosis.
Applications:	ELISA, WB, IHC
Name of antibody:	IDI2



Immunogen:	Fusion protein of human IDI2
Full name:	isopentenyl-diphosphate delta isomerase 2
Synonyms:	IPPI2
SwissProt:	Q9BXS1
ELISA Recommended dilu tion:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	150-300
WB Predicted band size:	27 kDa
WB Positive control:	HepG2 cell, Human liver tissue, HT-29 cell, RAW264.7 cell lysta es
WB Recommended diluti on:	1000-5000





