

## 兔抗 UBE2W 多克隆抗体

中文名称: 兔抗 UBE2W 多克隆抗体

英文名称: Anti-UBE2W rabbit polyclonal antibody

别 名: UBC16; UBC-16

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: UBE2W

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a nuclear-localized ubiquitin-conjugatin g enzyme (E2) that, along with ubiquitin-activating (E1) and ligating (E3) enzymes, coordinates the addition of a ubiquitin moiety to existing proteins. The encoded protein promotes the ubiquitination of Fanconi anemia complement ation group proteins and may be important in the repair of DNA damage. There is a pseudogene for this gene on chromosome 1. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, IHC
Name of antibody:	UBE2W



Immunogen:	Full length fusion protein
Full name:	ubiquitin conjugating enzyme E2W (putative)
Synonyms:	UBC16; UBC-16
SwissProt:	Q96B02
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and human liver cancer
IHC Recommend dilution:	25-100







