

## 兔抗 RPL10 多克隆抗体

中文名称：兔抗 RPL10 多克隆抗体

英文名称：Anti-RPL10 rabbit polyclonal antibody

别名：QM; L10; NOV; AUTSX5; DXS648; DXS648E

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：RPL10

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of four RNA species and approximately 80 structurally distinct proteins. This gene encodes a riboso
--------------------	---

	<p>mal protein that is a component of the 60S subunit. The protein belongs to the L10E family of ribosomal proteins. It is located in the cytoplasm. In vitro studies have shown that the chicken protein can bind to c-Jun and can repress c-Jun-mediated transcriptional activation, but these activities have not been demonstrated in vivo.</p>
<b>Applications:</b>	WB
<b>Name of antibody:</b>	RPL10
<b>Immunogen:</b>	Synthesized peptide derived from internal of human 60S Ribosomal Protein L10.
<b>Full name:</b>	ribosomal protein L10
<b>Synonyms :</b>	QM; L10; NOV; AUTSX5; DXS648; DXS648E
<b>SwissProt:</b>	P27635
<b>WB Predicted band size:</b>	25 kDa
<b>WB Positive control:</b>	K562 cells treated with Insulin (0.01u/ml, 15mins) lysate
<b>WB Recommended dilution:</b>	500-3000

