

兔抗 RPS28 多克隆抗体

- 中文名称: 兔抗 RPS28 多克隆抗体
- 英文名称: Anti-RPS28 rabbit polyclonal antibody
- 别 名: ribosomal protein S28; S28; DBA15
- 储 存:冷冻(-20℃)
- 抗 原: RPS28
- 宿 主: Rabbit
- 反应种属: Human, Mouse, Rat
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Ribosomes, the organelles that catalyze protein s	
ynthesis, consist of a small 40S subunit and a lar	
ge 60S subunit. Together these subunits are com	
posed of 4 RNA species and approximately 80 str	
ucturally distinct proteins. This gene encodes a ri	
bosomal protein that is a component of the 40S	
subunit. The protein belongs to the S28E family	
of ribosomal proteins. It is located in the cytopla	
sm. As is typical for genes encoding ribosomal pr	
oteins, there are multiple processed pseudogenes	
of this gene dispersed through the genome.	



Applications:	ELISA, WB, IHC
Name of antibody:	RPS28
Immunogen:	Synthetic peptide of human RPS28
Full name:	ribosomal protein S28
Synonyms:	S28; DBA15
SwissProt:	P62857
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human colorectal can cer
IHC Recommend dilution:	40-200
WB Predicted band size:	8 kDa
WB Positive control:	293T and PC3 cell, Mouse spleen tissue, 231 cell, Human breast cancer tissue, Mouse kidney tissue lysates
WB Recommended dilution:	500-2000







