

## 兔抗 VCX 多克隆抗体

- 中文名称: 兔抗 VCX 多克隆抗体
- 英文名称: Anti-VCX rabbit polyclonal antibody
- 级 别: VCX1; VCXB1; VCX-B1; VCX10R; VCX-10r
- 抗 原: VCX
- 储 存: 冷冻 (-20℃)
- 相关类别: 一抗
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

| Background: | This gene belongs to the VCX/Y gene family,<br>which has multiple members on both X and<br>Y chromosomes, and all are expressed exclusi |
|-------------|---|
|             | vely in male germ cells. The X-linked membe   |
|             | rs are clustered on chromosome Xp22 and Y   |
|             | -linked members are two identical copies of   |
|             | the gene within a palindromic region on Yq1   |
|             | 1. The family members share a high degree   |
|             | of sequence identity, with the exception that   |
|             | a 30-bp unit is tandemly repeated in X-linke  |
|             | d members but occurs only once in Y-linked  |



|                             | members. The VCX gene cluster is polymorp<br>hic in terms of copy number; different indivi<br>duals may have a different number of VCX g<br>enes. VCX/Y genes encode small and highly<br>charged proteins of unknown function. The p<br>resence of a putative bipartite nuclear localiz<br>ation signal suggests that VCX/Y members ar<br>e nuclear proteins. This gene contains 10 rep<br>eats of the 30-bp unit. |
|-----------------------------|--|
| Applications:               | ELISA, IHC   |
| Name of antibody:           | VCX  |
| Immunogen:                  | Synthetic peptide of human VCX   |
| Full name:                  | variable charge, X-linked  |
| Synonyms:                   | VCX1; VCXB1; VCX-B1; VCX10R; VCX-10r   |
| SwissProt:                  | Q9H320   |
| ELISA Recommended dilution: | 5000-10000   |
| IHC positive control:       | Human lung cancer  |
| IHC Recommend dilution:     | 20-100   |

