

兔抗 VDAC3 多克隆抗体

中文名称: 兔抗 VDAC3 多克隆抗体

英文名称: Anti-VDAC3 rabbit polyclonal antibody

别名: VDAC-3; HD-VDAC3

抗原: VDAC3

储存: 冷冻 (-20℃)

宿主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a voltage-dependent anion channel (VDAC), and belongs to the mitochondrial porin family. VDACs are small, integral membrane proteins that traverse the outer mitochondrial membrane and conduct ATP and other small metabolites. They are known to bind several kinases of intermediary metabolism, thought to be involved in translocation of adenine nucleotides, and are hypothesized to form part of the mitochondrial permeability transition pore, which results in the release of cytochrome c at the onset of apoptotic cell death. Alternatively transcript

	variants encoding different isoforms have been described for this gene. [provided by
Applications:	ELISA, WB
Name of antibody:	VDAC3
Immunogen:	Full length fusion protein
Full name:	voltage-dependent anion channel 3
Synonyms :	VDAC-3; HD-VDAC3
SwissProt:	Q9Y277
ELISA Recommended dilution:	1000-2000
WB Predicted band size:	31 kDa
WB Positive control:	Mouse heart tissue
WB Recommended dilution:	200-1000



