

兔抗 SCN4A 多克隆抗体

- 中文名称: 兔抗 SCN4A 多克隆抗体
- 英文名称: Anti-SCN4A rabbit polyclonal antibody
- 别 名: HYPP; SkM1; HYKPP; NAC1A; HOKPP2; Nav1.4; Na(V)1.4
- 相关类别: 一抗
- 储存: 冷冻(-20℃)避光
- 宿 主: Rabbit
- 抗原: SCN4A
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: Unconjugate

技术规格

	Voltage-gated sodium channels are trans
	membrane glycoprotein complexes compo
Background:	sed of a large alpha subunit with 24 tran
	smembrane domains and one or more re
	gulatory beta subunits. They are responsi



	ble for the generation and propagation o f action potentials in neurons and muscle. This gene encodes one member of the so dium channel alpha subunit gene family. I t is expressed in skeletal muscle, and mut ations in this gene have been linked to s everal myotonia and periodic paralysis dis
Applications:	orders WB
Name of antibody:	SCN4A
Immunogen:	Synthesized peptide derived from internal of human SCN4A.
Full name:	sodium channel, voltage-gated, type IV, al pha subunit
Synonyms :	HYPP; SkM1; HYKPP; NAC1A; HOKPP2; Na v1.4; Na(V)1.4
SwissProt:	P35499
WB Predicted band size:	208 kDa
WB Positive control:	K562 cells lysate



WB Recommended dilution:	500-3000
	kDa 250 —
	150 —
	100 —
	75—
	50 —
	37—
	25— 20—
	20—
	15—