

兔抗 VPS18 多克隆抗体

- 中文名称: 兔抗 VPS18 多克隆抗体
- 英文名称: Anti-VPS18 rabbit polyclonal antibody
- 别 名: VPS18, CORVET/HOPS core subunit PEP3
- 抗 原: VPS18
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | Vesicle mediated protein sorting plays an important role in segregation of intracellular molecules into dis tinct organelles. Genetic studies in yeast have identifi ed more than 40 vacuolar protein sorting (VPS) gene s involved in vesicle transport to vacuoles. This gene encodes the human homolog of yeast class C Vps18 protein. The mammalian class C Vps proteins are pre |
|-------------|--|
| | |
| Background: | encodes the human homolog of yeast class C Vps18 |
| | protein. The mammalian class C Vps proteins are pre |
| | dominantly associated with late endosomes/lysosome |
| | s, and like their yeast counterparts, may mediate vesi |
| | cle trafficking steps in the endosome/lysosome path |
| | way. |



| Applications: | ELISA, WB, IHC |
|-----------------------------|---------------------------------|
| Name of antibody: | VPS18 |
| Immunogen: | Fusion protein of human VPS18 |
| Full name: | VPS18, CORVET/HOPS core subunit |
| Synonyms: | PEP3 |
| SwissProt: | Q9P253 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human gastric cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 110 kDa |
| WB Positive control: | Hela and K562 cell lysates |
| WB Recommended dilution: | 200-1000 |





