

兔抗 KCNK9 多克隆抗体

中文名称: 兔抗 KCNK9 多克隆抗体

英文名称: Anti-KCNK9 rabbit polyclonal antibody

别 名: KT3.2; TASK3; K2p9.1; TASK-3

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: KCNK9

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a protein that contains multiple transme mbrane regions and two pore-forming P domains and funct ions as a pH-dependent potassium channel. Amplification a nd overexpression of this gene have been observed in sever al types of human carcinomas. This gene is imprinted in the brain, with preferential expression from the maternal allele. A mutation in this gene was associated with Birk-Barel men tal retardation dysmorphism syndrome. Alternative splicing r esults in multiple transcript variants.
Applications:	ELISA, WB, IHC



Name of antibody:	KCNK9
Immunogen:	Synthetic peptide of human KCNK9
Full name:	potassium channel, subfamily K, member 9
Synonyms:	KT3.2; TASK3; K2p9.1; TASK-3
SwissProt:	Q9NPC2
ELISA Recommended dilutio n:	2000-5000
IHC positive control:	Human liver cancer and Human colon cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	42 kDa
WB Positive control:	Human paraneoplastic and normal kidney tissue
WB Recommended dilution:	500-2000





