

兔抗 KCNK17 多克隆抗体

中文名称: 兔抗 KCNK17 多克隆抗体

英文名称: Anti-KCNK17 rabbit polyclonal antibody

别 名: TALK2; TASK4; TALK-2; TASK-4; K2p17.1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: KCNK17

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

WB Recommended dilut ion:	200-1000
WB Positive control:	LO2 cells
WB Predicted band size:	37 kDa
IHC Recommend dilution:	100-300
IHC positive control:	Human colon cancer and Human thyroid cancer
ELISA Recommended dil ution:	1000-2000



SwissProt:	Q96T54
Synonyms:	TALK2; TASK4; TALK-2; TASK-4; K2p17.1
Full name:	potassium channel, subfamily K, member 17
Immunogen:	Fusion protein of human KCNK17
Name of antibody:	KCNK17
Applications:	ELISA, WB, IHC
Background:	The protein encoded by this gene belongs to the family of pot assium channel proteins containing two pore-forming P domain s. This channel is an open rectifier which primarily passes outward current under physiological K+ concentrations. This gene is activated at alkaline pH. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.





