

## 兔抗 SKP1 多克隆抗体

中文名称：兔抗 SKP1 多克隆抗体

英文名称：Anti-SKP1 rabbit polyclonal antibody

别 名：OCP2, p19A, EMC19, SKP1A, OCP-II, TCEB1L

抗 原：SKP1

储 存：冷冻（-20℃）

宿 主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

This gene encodes a component of SCF complexes, which are composed of this protein, cullin 1, a ring-box protein, and one member of the F-box family of proteins. This protein binds directly to the F-box motif found in F-box proteins. SCF complexes are involved in the regulated ubiquitination of specific protein substrates, which targets them for degradation by the proteasome. Specific F-box proteins recognize different target protein(s), and many specific SCF substrates have been identified including regulators of cell cycle

	progression and development. Studies have also characterized the protein as an RNA polymerase II elongation factor. Alternative splicing of this gene results in two transcript variants. A related pseudogene has been identified on chromosome 7.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	SKP1
<b>Immunogen:</b>	Fusion protein of human SKP1
<b>Full name:</b>	S-phase kinase-associated protein 1
<b>Synonyms :</b>	OCP2, p19A, EMC19, SKP1A, OCP-II, TCEB1L
<b>SwissProt:</b>	P63208
<b>ELISA Recommended dilution:</b>	1000-5000
<b>IHC positive control:</b>	Human breast cancer and Human ovarian cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	19 kDa
<b>WB Positive control:</b>	Mouse brain tissue and NIH/3T3 cells
<b>WB Recommended dilution:</b>	500-2000



