

兔抗 ZBED1 多克隆抗体

中文名称: 兔抗 ZBED1 多克隆抗体

英文名称: Anti-ZBED1 rabbit polyclonal antibody

别 名: zinc finger BED-type containing 1; ALTE; DREF; TRAMP; hDREF

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: ZBED1

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene is located in the pseudoautosomal region 1 (PAR1) of X and Y chromosomes. It was earlier id entified as a gene with similarity to Ac transposable elements, however, was found not to have transpos ase activity. Later studies show that this gene product is localized in the nucleus and functions as a transcription factor. It binds to DNA elements found in the promoter regions of several genes related to cell proliferation, such as histone H1, hence may have a role in regulating genes related to cell proliferation. Alternatively spliced transcript variants with differe



	nt 5' untranslated region have been found for this gene.
Applications:	ELISA, IHC
Name of antibody:	ZBED1
Immunogen:	Fusion protein of human ZBED1
Full name:	zinc finger BED-type containing 1
Synonyms:	ALTE; DREF; TRAMP; hDREF
SwissProt:	O96006
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	30-150









