

兔抗 PRPF8 多克隆抗体

中文名称：兔抗 PRPF8 多克隆抗体

英文名称：Anti-PRPF8 rabbit polyclonal antibody

别名：pre-mRNA processing factor 8; PRP8; RP13; HPRP8; PRPC8; SNRNP220

相关类别：一抗

抗原：PRPF8

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Pre-mRNA splicing occurs in 2 sequential transesterification steps. The protein encoded by this gene is a component of both U2- and U12-dependent spliceosomes, and found to be essential for the catalytic step II in pre-mRNA A splicing process. It contains several WD repeats, which function in protein-protein interactions. This protein has a sequence similarity to yeast Prp8 protein. This gene is a candidate gene for autosomal dominant retinitis pigmentosa.
Applications:	ELISA, WB, IHC

Name of antibody:	PRPF8
Immunogen:	Synthetic peptide of human PRPF8
Full name:	pre-mRNA processing factor 8
Synonyms:	PRP8; RP13; HPRP8; PRPC8; SNRNP220
SwissProt:	Q6P2Q9
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and Human liver cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	274 kDa
WB Positive control:	Hela, Raji, K562 and 293T cell lysates
WB Recommended dilution:	500-2000



