

## 兔抗 ZNHIT3 多克隆抗体

中文名称：兔抗 ZNHIT3 多克隆抗体

英文名称：Anti-ZNHIT3 rabbit polyclonal antibody

级 别：TRIP3

抗 原：ZNHIT3

储 存：冷冻（-20℃）

宿 主：Rabbit

相关类别：一抗

反应种属：Human

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

ZNHIT3 (zinc finger, HIT-type containing 3), also known as TRIP3 (thyroid receptor-interacting protein 3) or HNF-4a coactivator, is a 155 amino acid protein that contains one HIT-type zinc finger and regulates PPAR -mediated adipocyte differentiation. ZNHIT3 also coactivates HNF-4 , and as a thyroid receptor interacting protein, ZNHIT3 interacts with the ligand binding domain of the thyroid receptor. The gene encoding ZNHIT3 maps to human chromosome 17, which comprises over 2.5% of the human genome and encodes over 1,200 genes. Two key tumor suppressor genes are associated with chromosome 17, namely, p53 a

	nd BRCA1. Malfunction or loss of p53 expression is associated with malignant cell growth and Li-Fraumeni syndrome. Like p53, BRCA1 is directly involved in DNA repair, though specifically it is recognized as a genetic determinant of early onset breast cancer and predisposition to cancers of the ovary, colon, prostate gland and fallopian tubes.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	ZNHIT3
<b>Immunogen:</b>	Synthetic peptide of human ZNHIT3
<b>Full name:</b>	zinc finger, HIT-type containing 3
<b>Synonyms:</b>	TRIP3
<b>SwissProt:</b>	Q15649
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer and human tonsil
<b>IHC Recommend dilution:</b>	45-300



