

## 兔抗 LIMK2 多克隆抗体

中文名称:	兔抗 LIMK2 多克隆抗体
英文名称:	Anti-LIMK2 rabbit polyclonal antibody
相关类别:	一抗
抗 原:	LIMK2
储 存:	冷冻 (-20℃) 避光
宿 主:	Rabbit
反应种属:	Human Mouse Rat
标记物:	Unconjugate
克隆类型:	Unconjugate

### 技术规格

<b>Background:</b>	There are approximately 40 known eukaryotic LIM proteins, so named for the LIM domains they contain. LIM domains are highly conserved cysteine-rich structures containing 2 zinc fingers. Although zinc fingers usually function by binding to DNA or RNA, the LIM motif probably mediates protein-protein interactions. LIM kinase-1 and LIM kinase-2 belong to a small subfamily with a unique combination of 2 N-terminal LIM motifs and a C-terminal protein kinase domain.
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	LIMK2
<b>Immunogen:</b>	Synthesized peptide derived from internal of human LIMK2.
<b>Full name:</b>	LIM domain kinase 2
<b>Synonyms :</b>	0

<b>SwissProt:</b>	P53671
<b>IHC positive control:</b>	Human heart tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	72 kDa
<b>WB Positive control:</b>	HepG2 cells and Huvec cells lysates
<b>WB Recommended dilution:</b>	500-3000
<b>IF positive control:</b>	Hela cells
<b>IF Recommend dilution:</b>	100-500



