

小鼠抗 MED27 单克隆抗体

中文名称: 小鼠抗 MED27 单克隆抗体

英文名称: Anti-MED27 mouse monoclonal antibody

别 名: mediator complex subunit 27; MED3; CRSP8; CRAP34; CRSP34; TRAP37

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: MED27

反应种属: Human

标 记 物: Unconjugate

克隆类型: mouse monoclonal

技术规格

Background:

The activation of gene transcription is a multistep proces s that is triggered by factors that recognize transcription all enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunctio



	n with initiation factors and cofactors. Alternatively splice d transcript variants encoding multiple isoforms have bee n observed for this gene, and a pseudogene of this gen e is located on the long arm of chromosome 5.
Applications:	WB
Name of antibody:	MED27
Immunogen:	Fusion protein of human MED27
Full name:	mediator complex subunit 27
Synonyms:	MED3; CRSP8; CRAP34; CRSP34; TRAP37
SwissProt:	Q6P2C8
WB Predicted band size:	35 KD
WB Positive control:	HepG2, K562, Hela, MCF7, Jurkat, A549, 293T cell lysates
WB Recommended dilution:	500-2000