

CCN6 抗原(重组蛋白)

中文名称: CCN	I6 抗原	(重组蛋白)
-----------	--------------	--------

- 英文名称: CCN6 Antigen (Recombinant Protein)
- 储存: 冷冻(-20℃)
- 别名: cellular communication network factor 6; PPD; LIBC; PPAC; WISP3; WISP-3

相关类别: 抗原

概述

Fusion protein corresponding to a region derived from 155-354 amino acids of human CCN6

技术规格

Full name:	cellular communication network factor 6	
Synonyms:	PPD; LIBC; PPAC; WISP3; WISP-3	
Swissprot:	O95389	
Gene Accession:	BC105941	
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE	
Expression system:	Escherichia coli	
Tags:	His tag C-Terminus, GST tag N-Terminus	
Background:	This gene encodes a member of the WNT1 inducible signaling pathway (WISP) protein subfamily, which belongs to the conne ctive tissue growth factor (CTGF) family. WNT1 is a member of a family of cysteine-rich, glycosylated signaling proteins that m ediate diverse developmental processes. The CTGF family mem bers are characterized by four conserved cysteine-rich domains: insulin-like growth factor-binding domain, von Willebrand facto	



r type C module, thrombospondin domain and C-terminal cysti ne knot-like domain. This gene is overexpressed in colon tumo rs. It may be downstream in the WNT1 signaling pathway that is relevant to malignant transformation. Mutations of this gene are associated with progressive pseudorheumatoid dysplasia, an autosomal recessive skeletal disorder, indicating that the gene i s essential for normal postnatal skeletal growth and cartilage h omeostasis. Multiple transcript variants encoding different isofo rms have been found for this gene. [provided by RefSeq, Jul 2 008]