

## STK33 抗原(重组蛋白)

中文名称: STK33 抗原(重组蛋白)

英文名称: STK33 Antigen (Recombinant Protein)

别 名: serine/threonine kinase 33

储 存: 冷冻(-20℃)

相关类别: 抗原

## 概述

Fusion protein corresponding to N terminal 200 amino acids of human STK33

## 技术规格

| Full name:         | serine/threonine kinase 33   |  |  |  |  |
|--------------------|--|--|--|--|--|
| Swissprot:         | Q9BYT3   |  |  |  |  |
| Gene Accession:    | BC031231   |  |  |  |  |
| Purity:            | >85%, as determined by Coomassie blue stained SDS-PAGE   |  |  |  |  |
| Expression system: | Escherichia coli   |  |  |  |  |
| Tags:              | His tag C-Terminus, GST tag N-Terminus   |  |  |  |  |
| Background:        | STK33 (serine/threonine kinase 33) is a 514 amino acid protein tha t belongs to the CaMK (calcium/calmodulin dependent kinase) sub family of structurally related serine/threonine kinases. Widely expre ssed at low levels with predominant expression in testis, lung, reti na and fetal organs such as brain, heart and spinal cord, STK33 c ontains one protein kinase domain and functions as a Ser/Thr prot ein kinase with a possible role in spermatogenesis. The gene enco ding STK33 lies within a region on chromosome 11 that has been associated with a variety of defects, including Long QT syndrome, |  |  |  |  |



| T-cell leukemia, | Beckwith-Wiedemann  | syndrome, | Usher | syndrome | 1 |
|------------------|---------------------|-----------|-------|----------|---|
| C and various o  | other malignancies. |           |       |          |   |