

兔抗 TWSG1 多克隆抗体

中文名称: 兔抗 TWSG1 多克隆抗体

英文名称: Anti-TWSG1 rabbit polyclonal antibody

抗 原: TWSG1

别 名: TSG

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	May be involved in dorsoventral axis formation. Seems to antagonize BMP signaling by forming ternary complex es with CHRD and BMPs, thereby preventing BMPs from binding to their receptors. In addition to the anti-BMP formal unction, also has pro-BMP activity, partly mediated by cleavage and degradation of CHRD, which releases BMPs for rom ternary complexes. May be an important modulator of BMP-regulated cartilage development and chondrocyte differentiation. May play a role in thymocyte development (By similarity).
Applications:	ELISA, IHC
Name of antibody:	TWSG1
Immunogen:	Fusion protein of human TWSG1



Full name:	twisted gastrulation BMP signaling modulator 1
Synonyms:	TSG
SwissProt:	Q9GZX9
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human colorectal cancer
IHC Recommend dilution:	25-100





