

兔抗 HLA-DRA 多克隆抗体

中文名称：兔抗 HLA-DRA 多克隆抗体

英文名称：Anti-HLA-DRA rabbit polyclonal antibody

别名：major histocompatibility complex, class II, DR alpha; HLA-DRA1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：HLA-DRA

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

HLA-DRA is one of the HLA class II alpha chain paralogues. This class II molecule is a heterodimer consisting of an alpha and a beta chain, both anchored in the membrane. It plays a central role in the immune system by presenting peptides derived from extracellular proteins. Class II molecules are expressed in antigen presenting cells (APC: B lymphocytes, dendritic cells, macrophages). The alpha chain is approximately 33-35 kDa and its gene contains 5 exons. Exon 1 encodes the leader peptide, exons 2 and 3 encode the two extracellular domains, and exon 4 encodes the transmembrane domain and the cytoplasmic tail. DRA does not have polymorphisms in the peptide binding part and acts as the sole alp

	ha chain for DRB1, DRB3, DRB4 and DRB5.
Applications:	ELISA, IHC
Name of antibody:	HLA-DRA
Immunogen:	Synthetic peptide of human HLA-DRA
Full name:	major histocompatibility complex, class II, DR alpha
Synonyms:	HLA-DRA1
SwissProt:	P01903
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human tonsil
IHC Recommend dilution:	50-100



