

## 兔抗 RAB29 多克隆抗体

中文名称: 兔抗 RAB29 多克隆抗体

英文名称: Anti-RAB29 rabbit polyclonal antibody

别 名: RAB29, member RAS oncogene family; RAB7L; RAB7L1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: RAB29

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

The small GTPases Rab are key regulators in vesicle tr afficking (PubMed:24788816). Essential for maintaining the integrity of the endosome-trans-Golgi network str ucture (By similarity). Together with LRRK2, plays a rol e in the retrograde trafficking pathway for recycling p roteins, such as mannose 6 phosphate receptor (M6P R), between lysosomes and the Golgi apparatus in a r etromer-dependent manner (PubMed:24788816). Recru its LRRK2 to the Golgi complex and stimulates LRRK2 kinase activity (PubMed:29212815). Regulates neuronal process morphology in the intact central nervous syst



|                             | em (CNS) (By similarity). May play a role in the forma tion of typhoid toxin transport intermediates during S almonella enterica serovar Typhi (S.Typhi) epithelial cel I infection (PubMed:22042847). |
|-----------------------------|--|
| Applications:               | ELISA, IHC   |
| Name of antibody:           | RAB29  |
| Immunogen:                  | Fusion protein of human RAB29  |
| Full name:                  | RAB29, member RAS oncogene family  |
| Synonyms:                   | RAB7L; RAB7L1  |
| SwissProt:                  | O14966   |
| ELISA Recommended dilution: | 5000-10000   |
| IHC positive control:       | Human prostate cancer and Human gastric cancer   |
| IHC Recommend dilution:     | 100-300  |





