

兔抗 PRKD3 多克隆抗体

中文名称: 兔抗 PRKD3 多克隆抗体

英文名称: Anti-PRKD3 rabbit polyclonal antibody

别 名: EPK2; PKD3; PRKCN; PKC-NU; nPKC-NU

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: PRKD3

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Protein kinase C (PKC) is a family of serine- and threoni ne-specific protein kinases that can be activated by calci um and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signalin g pathways. PKC family members also serve as major rec eptors for phorbol esters, a class of tumor promoters. Ea ch member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members.



Applications:	ELISA, WB, IHC
Name of antibody:	PRKD3
Immunogen:	Synthetic peptide of human PRKD3
Full name:	protein kinase D3
Synonyms:	EPK2; PKD3; PRKCN; PKC-NU; nPKC-NU
SwissProt:	O94806
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human cervical cancer and Human colon cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	100 kDa
WB Positive control:	Human testis tissue, K562, A549, Raji, NIH/3T3 and Hela cells
WB Recommended dilution:	200-1000





