

## 兔抗 ACADS 多克隆抗体

中文名称：兔抗 ACADS 多克隆抗体

英文名称：Anti-ACADS rabbit polyclonal antibody

别 名：SCAD; ACAD3

抗 原：ACADS

储 存：冷冻（-20℃）

宿 主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a a tetrameric mitochondrial flavoprotein, which is a member of the acyl-CoA dehydrogenase family. This enzyme catalyzes the initial step of the mitochondrial fatty acid beta-oxidation pathway. Mutations in this gene have been associated with Short Chain Acyl-CoA Dehydrogenase Deficiency. It is an autosomal recessive disorder resulting in acute acidosis and muscle weakness in infants, and a form of lipid-storage myopathy in adults.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	ACADS
<b>Immunogen:</b>	Fusion protein of human ACADS
<b>Full name:</b>	Acyl-CoA dehydrogenase, C-2 to C-3 short chain

	n
<b>Synonyms :</b>	SCAD; ACAD3
<b>SwissProt:</b>	P16219
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human colon cancer and Human thyroid cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	44 kDa
<b>WB Positive control:</b>	Human liver cancer tissue, rat kidney and human fetal liver tissue
<b>WB Recommended dilution:</b>	200-1000



