

兔抗 AGAP1 多克隆抗体

中文名称：兔抗 AGAP1 多克隆抗体

英文名称：Anti-AGAP1 rabbit polyclonal antibody

别 名：GGAP1; AGAP-1; CENTG2; cnt-g2

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：AGAP1

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of an ADP-ribosylation factor GTPase-activating protein family involved in membrane trafficking and cytoskeleton dynamics. This gene functions as a direct regulator of the adaptor-related protein complex 3 on endosomes. Multiple transcript variants encoding different isoforms have been found for this gene. GTPase-activating protein for ARF1 and, to a lesser extent, ARF5. Directly and specifically regulates the adapter protein 3 (AP-3)-dependent trafficking of proteins in the endosomal-lysosomal system.

Applications:	ELISA, WB, IHC
Name of antibody:	AGAP1
Immunogen:	Synthetic peptide of human AGAP1
Full name:	ArfGAP with GTPase domain, ankyrin repeat and PH domain 1
Synonyms :	GGAP1; AGAP-1; CENTG2; cnt-g2
SwissProt:	Q9UPQ3
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	94 kDa; 89 kDa
WB Positive control:	Human liver cancer tissue, hela cells and mouse lung tissue
WB Recommended dilution:	500-2000



