

兔抗 DEGS1 多克隆抗体

中文名称: 兔抗 DEGS1 多克隆抗体

英文名称: Anti-DEGS1 rabbit polyclonal antibody

别 名: delta 4-desaturase, sphingolipid 1 MLD; DEGS; DES1; Des-1; FADS7; MIG15; DEGS-1

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: DEGS1

反应种属: Human

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a member of the membrane f atty acid desaturase family which is responsible f or inserting double bonds into specific positions in fatty acids. This protein contains three His-cont aining consensus motifs that are characteristic of a group of membrane fatty acid desaturases. It is predicted to be a multiple membrane-spanning protein localized to the endoplasmic reticulum. Overexpression of this gene inhibited biosynthesis of the EGF receptor, suggesting a possible role of a fatty acid desaturase in regulating biosynthetic processing of the EGF receptor.



Applications:	ELISA, IHC
Name of antibody:	DEGS1
Immunogen:	Synthetic peptide of human DEGS1
Full name:	delta 4-desaturase, sphingolipid 1
Synonyms:	MLD; DEGS; DES1; Des-1; FADS7; MIG15; DEGS-1
SwissProt:	O15121
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human esophagus cancer
IHC Recommend dilution:	25-100





